


Available online at www.sciencedirect.com



Aquaculture

Aquaculture 244 (2005) 391-393

www.elsevier.com/locate/aqua-online

Contents of Aquaculture, Volume 244

VOL. 244 NOS. 1-4 28 February 2005 Effect of the number of infected fish and acute exposure period on the horizontal transmission of Loma salmonae (Microsporidia) in rainbow trout, Oncorhynchus mykiss J.A. Becker, D.J. Speare and I.R. Dohoo (Charlottetown, Prince Edward Island, Canada). Effectiveness of oral Elancoban™ and Avimix-ST™ against Nematopsis (Apicomplexa: Porosporidae) gametocyts infecting the shrimp E.J. Fajer-Ávila, M.S.M. Covarrubias, S. Abad-Rosales (Sinaloa, México), A. Roque (Sinaloa, México; S. Carlos de la Rapita, Spain), P. Meza-Bojórquez and C. Hernández-González (Sinaloa, México) Monitoring of the sensitivity of sea lice (Lepeophtheirus salmonis) to pyrethroids in Norway, Ireland and Scotland using bioassays and probit modelling S. Sevatdal (Oslo, Norway), L. Copley (Galway, Ireland), C. Wallace (Fort William, UK), D. Jackson (Galway, Ireland) and T.E. Horsberg (Oslo, Norway) A test for overdominance at the phosphoglucomutase-2 locus in Pacific oysters (Crassostrea gigas) from New Zealand J.P.A. Gardner and I. Lobkov (Wellington, New Zealand). Genetic linkage maps of two yellowtails (Seriola quinqueradiata and Seriola lalandi) E. Ohara, T. Nishimura (Tokyo, Japan), Y. Nagakura (Nagasaki, Japan), T. Sakamoto (Tokyo, Japan), K. Mushiake (Nagasaki, Japan) and N. Okamoto (Tokyo, Japan) . . Genetic tagging of released Japanese flounder (Paralichthys olivaceus) based on polymorphic DNA markers M. Sekino, K. Saitoh (Miyagi, Japan), T. Yamada (Iwate, Japan), M. Hara (Mie, Japan) and Y. Yamashita Microsatellite genetic variation within and among Arctic charr (Salvelinus alpinus) from aquaculture and natural populations in North America T.A. Lundrigan (Guelph, Ont., Canada), J.D. Reist (Winnipeg, Manitoba, Canada) and M.M. Ferguson (Guelph, Ontario, Canada). Genetic variation for a vertebral deformity in Atlantic salmon (Salmo salar) B. Gjerde (Ås, Norway), M.J.R. Pante (Sunndalsøra, Norway; Quezon City, Philippines) and G. Baeverfjord (Sunndalsøra, Norway) **Husbandry and Management** Successful sex ratio of 1M:4F in the astacid crayfish Pacifastacus leniusculus Dana under captive breeding conditions J.D. Celada, J.I. Antolin, J.M. Carral, M. Sáez-Royuela and R. Rodriguez (León, Spain) Cove culture of marble goby (Oxyeleotris marmorata Bleeker) and carps in Tri An Reservoir of Vietnam V.C. Luong, Y. Yi and C. Kwei Lin (Pathum Thani, Thailand) Nutrient cycle and sludge production during different stages of red tilapia (Oreochromis sp.) growth in a recirculating aquaculture system G. Rafiee (Karaj, Iran) and C.R. Saad (Selangor, Malaysia)

A greenhouse experiment on growth and yield effects in integrated rice-fish culture M. Frei and K. Becker (Stuttgart, Germany).	119
Large-scale juvenile production of the blue crab Callinectes sapidus	119
O. Zmora, A. Findiesen, J. Stubblefield, V. Frenkel and Y. Zohar (Baltimore, Maryland, United States)	129
Toxicity of ozone generated from different combinations of ozone concentration (C) and exposure time (T): a comparison of the relative	147
effect of C and T on hatch rates of Penaeus (Marsupenaeus) japonicus embryos	
G.J. Coman, M.J. Scllars (Cleveland, Qld, Australia) and D.T. Morehead (Taroona, Tasmania, Australia)	141
Improved survival and growth in Octopus vulgaris paralarvae by feeding large type Artemia and Pacific sandeel, Ammodytes personatus. Improved survival and growth of common octopus paralarvae	
S. Okumura (Kagawa, Japan), A. Kurihara (Tokyo, Japan), A. Iwamoto (Kagawa, Japan) and T. Takeuchi (Tokyo, Japan)	147
Sea ranching of the marine sponge Negombata magnifica (Demospongiae, Latrunculiidae) as a first step for latrunculin B mass production	
E. Hadas (Tel-Aviv, Eilat, Israel), M. Shpigel (Eilat, Israel) and M. Ilan (Tel-Aviv, Israel)	159
Predicting the carrying capacity of bivalve shellfish culture using a steady, linear food web model	
W. Jiang and M.T. Gibbs (Nelson, New Zealand)	171
Nutrition	
Application of a low oil pre-harvest diet to manipulate the composition and quality of Atlantic salmon, Salmo salar L.	
P.C. Morris, C. Beattie (England, United Kingdom), B. Elder (Scotland, United Kingdom), J. Finlay, P. Gallimore, W. Jewison,	
D. Lee, K. Mackenzie, R. McKinney, R. Sinnott (England, United Kingdom), A. Smart (Scotland, United Kingdom) and	
M. Weir (England, United Kingdom). Histopathological observations in European glass cels (Anguilla anguilla) reared under different diets and salinities	187
A. Rodríguez (Barcelona, Spain), E. Gisbert (Tarragona, Spain), G. Rodríguez (Bogotá, Colombia) and F. Castelló-Orvay	
(Barcelona, Spain).	203
Dietary L-ascorbic acid affects growth, nonspecific immune responses and disease resistance in juvenile grouper,	
Epinephelus malabaricus MF. Lin and SY. Shiau (Keelung, Taiwan)	215
Effect of different carotenoid sources and their dietary levels on red porgy (Pagrus pagrus) growth and skin colour	213
C.T. Kalinowski, L.E. Robaina, H. Fernández-Palacios, D. Schuchardt and M.S. Izquierdo	
(Las Palmas, Canary Islands, Spain)	223
Bacterial protein grown on natural gas as protein source in diets for Atlantic salmon, Salmo salar, in saltwater	
G. Marit Berge, G. Baeverfjord (Sunndalsøra, Norway), A. Skrede (Ås, Norway) and T. Storebakken	
(Sunndalsøra, Ås, Norway)	233
Evaluation of practical diets containing different protein levels, with or without fish meal, for juvenile Australian red claw crayfish (Cherax quadricarinatus)	
K.R. Thompson, L.A. Muzinic, L.S. Engler and C.D. Webster (Frankfort, KY, USA).	241
Evaluation of practical diets for the Caribbean spiny lobster <i>Panulirus argus</i> (Latreille, 1804): effects of protein sources on substrate metabolism and digestive proteases	
E. Perera, I. Fraga, O. Carrillo (Havana, Cuba), E. Diaz-Iglesias (Baja California, Mexico), R. Cruz, M. Báez and	
G.S. Galich (Havana, Cuba)	251
Effect of prepared and macroalgal diets and seed stock source on somatic growth of juvenile green sea urchins (Strongylocentrotus droebachiensis)	
T.L. Daggett, C.M. Pearce, M. Tingley, S.M.C. Robinson and T. Chopin (New Brunswick, Canada)	263
Macronutrient composition of formulated diets for Atlantic halibut (<i>Hippoglossus hippoglossus</i> , L.) juveniles, II: protein/lipid levels at low carbohydrate	
K. Hamre (Bergen, Norway), G. Baeverfjord (Sunndalsøra,, Norway) and T. Harboe (Storebø, Norway)	283
Activity-guided fractionation of phytochemicals of maca meal, their antioxidant activities and effects on growth, feed utilization, and survival in rainbow trout (Oncorhynchus mykiss) juveniles	
KJ. Lee, K. Dabrowski (Columbus, OH, USA), M. Sandoval and M.J.S. Miller (Albany, NY, USA)	293
Physiology and Endocrinology	
Suitable dissolved oxygen levels for common octopus (Octopus vulgaris cuvier, 1797) at different weights and temperatures: analysis of	
respiratory behaviour	
J. Cerezo Valverde and B. García García (Murcia., Spain)	303
Response of the blue shrimp Litopenaeus stylirostris to temperature decrease and hypoxia in relation to molt stage	
C. Mugnier (Nouméa Cedex, New Caledonia) and C. Soyez (Taravao, Tahiti).	315

White background reduces the occurrence of staining, activates melanin-concentrating hormone and promotes somatic growth in barfin flounder	
T. Yamanome, M. Amano and A. Takahashi (Iwate, Japan)	323
Ontogeny of tolerance to hypoxia and oxygen consumption of larval and juvenile red sea bream, Pagrus major	
Y. Ishibashi, K. Inoue (Nara, Japan), H. Nakatsukasa, Y. Ishitani, S. Miyashita and O. Murata (Wakayama, Japan)	331
The combined effects of salinity and temperature on the oxygen consumption of juvenile shrimps <i>Litopenaeus stylirostris</i> (Stimpson, 1874)	
M. Spanopoulos-Hernández (Mazatlán Sinaloa, Mexico), C.A. Martínez-Palacios (Morelia Michioacán, Mexico),	
R.C. Vanegas-Pérez (D.F., Mexico), C. Rosas (Yucatán, México) and L.G. Ross (Scotland, UK).	341
Effect of different oxygen tensions on weight gain, feed conversion, and antioxidant status in piapara, Leporinus elongatus (Valenciennes, 1847)	
D. Wilhelm Filho, M.A. Torres, E. Zaniboni-Filho and R.C. Pedrosa (Florianópolis, Brazil)	349
Haematological and physiological characteristics of diploid and triploid sea bass, Dicentrarchus labrax L.	
S. Peruzzi (Palavas-les-Flots, France; Tromsø, Norway), S. Varsamos (Palavas-les-Flots, France; ED Nijmegen, The Netherlands),	
B. Chatain, C. Fauvel, B. Menu, JC. Falguière (Palavas-les-Flots, France), A. Sévère (Plouzané, France) and G. Flik (ED Nijmegen,	
The Netherlands)	359
Photosynthesis of the red alga Gracilaria chilensis under natural solar radiation in an estuary in southern Chile	
I. Gómez (Valdivia, Chile), F.L. Figueroa (Málaga, Spain), P. Huovinen (Valdivia, Chile; Jyväskylä, Finland), N. Ulloa and	
V. Morales (Valdivia, Chile)	369
Short Communication	
Spawning impact on lysosomal stability of the Pacific Oyster, Crassostrea gigas	
SM. Cho and WG. Jeong (Tongyeong, Republic of Korea).	383
Erratum	
Erratum to "Amino acid-chelate: a better source of Zn, Mn and Cu for rainbow trout, Oncorhynchus mykiss" [Aquaculture 240 (2004) 345–358]	
M.J.S. Apines-Amar (Tokyo, Japan; Iloilo, Philippines), S. Satoh (Tokyo, Japan), C.M.A. Caipang (Iloilo, Philippines;	
Tokyo, Japan), V. Kiron, T. Watanabe and T. Aoki (Tokyo, Japan)	389
Contents of Aquaculture, Volume 244	391